









Track 3 phase surface/suspension

TRACK 3-PHASE 230V RAIL




|BS1121 |BS1122 |BS1123

TRACK 3-PHASE 230V STRAIGHT CONNECTOR




WHITE BLACK |BS1201 |BS1202

TRACK 3-PHASE 230V CONNECTOR STEEL



IBS1210 STEEL

TRACK 3-PHASE 230V DEAD-END CAP



TRACK 3-PHASE 230V SUSPENSION 2 M



WHITE BLACK

ADJUSTABLE

TRACK 3-PHASE 230V LIVE END, EARTH LEFT



EARTH LEFT

EARTH RIGHT

Track 3 phase surface/suspension HIGH VOLTAGE

TRACK 3-PHASE 230V FLEXIBLE JOINT



TRACK 3-PHASE 230V CORNER 90°




WHITE EARTH OUT | BS1261 BLACK EARTH OUT | BS1262 GREY EARTH OUT

BS1263

WHITE EARTH IN GREY EARTH IN

|BS1271 |BS1272 |BS1273

TRACK 3-PHASE 230V X-Junction



WHITE BLACK GREY

TRACK 3-PHASE 230V INTERMEDIATE FEEDING



WHITE BLACK GREY

TRACK 3-PHASE 230V T-JUNCTION




EARTH LEFT

WHITE BLACK GREY

EARTH RIGHT

WHITE BLACK GREY

TRACK 3-PHASE 230V CEILING FIXATION



IBS1209

Track 3 phase recessed HIGH VOLTAGE

|BS1101R |BS1102R

WHITE BLACK

TRACK 3-PHASE RECESSED 230V RAIL




TRACK 3-PHASE RECESSED 230V STRAIGHT CONNECTOR



WHITE BLACK |BS1201 |BS1202

TRACK 3-PHASE RECESSED 230V DEAD-END CAP

|BS1111R | |BS1112R |



WHITE BLACK

TRACK 3-PHASE RECESSED 230V LIVE END



EARTH LEFT EARTH RIGHT WHITE BLACK |BS1241R |BS1242R WHITE BLACK |BS1251R |BS1252R

TRACK 3-PHASE RECESSED 230V INTERMEDIATE FEEDING



BS1281R BS1282R

TRACK 3-PHASE RECESSED CEILING SUSPENSION KIT



|BS1208R |

Track 3 phase accessories HIGH VOLTAGE

FIX-POINT FOR 3-PHASE ADAPTOR



WHITE BLACK BS0138 BS0139 ! Only for usage with small adaptor seperated from gear housing fixtures

RECESSED BOX FOR FIX-POINT



WHITE BLACK BS1138 BS1139 110 mm

! Only for usage with small adaptor seperated from gear housing fixtures

Track 3 phase dali dimmable HIGH VOLTAGE

RAIL



|BS1101DS |BS1102DS |BS1103DS WHITE BLACK GREY

BS1111DS|€ 103,5 BS1112DS|€ 103,5 BS1113DS|€ 100,6

BS1121DS BS1122DS BS1123DS

STRAIGHT CONNECTOR



LIVE END, EARTH LEFT / RIGHT




EARTH LEFT WHITE BLACK GREY

EARTH RIGHT

WHITE BLACK GREY |BS1251DS| |BS1252DS| |BS1253DS|

DEAD-END CAP



WHITE BLACK GREY

SUSPENSION 2 M



FIX WHITE BLACK

|BS1231DS |BS1232DS



ADJUSTABLE WHITE BLACK |BS1206DS| |BS1207DS|

CONNECTOR STEEL



ISTEEL |BS1210DS |

CEILING FIXATION




IBS1209DS

Track 3 phase dali dimmable


HIGH VOLTAGE

FLEXIBLE JOINT



WHITE BLACK GREY |BS1161DS |BS1162DS |BS1163DS

CORNER 90°




WHITE EARTH OUT | BS1261DS | BLACK EARTH OUT | BS1262DS | GREY EARTH OUT | BS1263DS |


WHITE EARTH IN BLACK EARTH IN GREY EARTH IN

|BS1271DS | |BS1272DS | |BS1273DS |

X-JUNCTION




INTERMEDIATE FEEDING



BS1281DS BS1282DS BS1283DS

T-JUNCTION



EARTH LEFT

WHITE BLACK GREY |BS1291DS |BS1292DS |BS1293DS EARTH RIGHT

WHITE BLACK GREY

BS1151DS BS1152DS BS1153DS

Track 3 phase recessed dali dimmable

HIGH VOLTAGE

TRACK 3-PHASE RECESSED 230V RAIL


WHITE |BS1101RDS| BLACK |BS1102RDS| IBS1111RDS IBS1112RDS 3M |BS1121RDS| |BS1122RDS|

TRACK 3-PHASE RECESSED 230V STRAIGHT CONNECTOR




WHITE |BS1201DS BLACK |BS1202DS

TRACK 3-PHASE RECESSED 230V DEAD-END CAP



WHITE |BS1221RDS BLACK |BS1222RDS

TRACK 3-PHASE RECESSED 230V LIVE END




EARTH LEFT WHITE BLACK

|BS1241RDS |BS1242RDS EARTH RIGHT WHITE BLACK


IBS1251RDS IBS1252RDS

TRACK 3-PHASE RECESSED 230V INTERMEDIATE FEEDING



WHITE |BS1281RDS| BLACK |BS1282RDS|


CORNER 90°



WHITE EARTH BLACK EARTH GREY EARTH |BS1261RDS |BS1262RDS |BS1263RDS IWHITE EARTH IN IBS1271RDS IBLACK EARTH IN IBS1272RDS IGREY EARTH IN IBS1273RDS




X-JUNCTION



WHITE BLACK GREY |BS1141RDS| |BS1142RDS| |BS1143RDS|

T-JUNCTION



EARTH LEFT WHITE BLACK GREY

BS1291RDS BS1292RDS BS1293RDS

EARTH RIGHT WHITE BLACK GREY

BS1151RDS BS1152RDS BS1153RDS

Track 3 phase dali dimmable accessories

HIGH VOLTAGE

FIX-POINT FOR 3-PHASE ADAPTOR



|BS0138DS |BS0139DS

! Only for usage with small adaptor seperated from gear housing fixtures

RECESSED BOX FOR FIX-POINT



WHITE BLACK |BS1138DS |BS1139DS 110 mm

! Only for usage with small adaptor seperated from gear housing fixtures

WIRELESS CASAMBI ANTENNA



|BS12191DS |BS12192DS

FOR MORE INORMATION SEE:

USING the wireless app and antenna, you can controll your lighting from your phone. For more information, contact us

TechnicalSupport@orbit-lighting.com

